

ENSTO

DPCP080806G

Cubo D enclosure

Code DPCP080806G
 GTIN 6418677150081
 ENumber
 Name Cubo D enclosure
 Size 80 x 82 x 56 mm, plain sides, grey cover, PC
 Description Ensto Cubo D is a series of small enclosures with plain sides. Special features include fastening pods inside the cover and slots for printed circuit boards in the base.
 Vendor Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws, mounting screws, cover plugs for cover screws

Dimensions

Weight: 0.13 kg
Width: 80 mm
Volume : 36.74 cm³
Size: 80 x 82 x 56
Height: 82 mm
Depth: 56 mm
Inner depth: 42.0 mm
Outer base depth: 41 mm
Outer cover height: 15 mm

Temperatures

Operating temperature: -40 ... +80 °C
Short term temperature range: -40 ... +120 °C

Materials

| | |
|---------------------|-----------------|
| Base: | Polycarbonate |
| Cover: | Polycarbonate |
| Cover screws: | Stainless steel |
| Gasket: | Polyurethane |
| Material selection: | Polycarbonate |

Colors

| | |
|--------|------|
| Color: | Grey |
|--------|------|

Mechanical

| | |
|------------------|-------|
| Impact strength: | IK 08 |
|------------------|-------|

Certificates

| | |
|------------|------------------|
| Standards: | EN 62208, GOST R |
|------------|------------------|

Ratings

| | |
|-----------------------|---|
| Degree of protection: | IP66/IP67 |
| Flammability rating: | UL 746C 5 inch flame test |
| ETIM 7: | EC000261 Enclosure/switchgear cabinet (empty) |

ETIM

ETIM

| | |
|----------------------------------|-----------|
| Pitched roof: | false |
| RAL-number: | 7035 |
| Material: | Plastic |
| Surface finishing: | Untreated |
| Colour: | Grey |
| Wall build in: | false |
| With ventilation door: | false |
| Floor installation possible: | false |
| Pole fastening: | false |
| With mounting plate: | false |
| Impact strength: | IK08 |
| Degree of protection (IP): | IP67 |
| Depth: | 56 mm |
| Tackable: | false |
| Width: | 80 mm |
| With glazed door: | false |
| Height: | 82 mm |
| Suitable for outdoor set-up: | true |
| With backside door: | false |
| Mounting plate depth-adjustable: | false |
| EMC-version: | false |
| Wall fastening possible: | true |

Packaging

Default package

| | |
|---------------|----------|
| Unit: | PCS |
| Size: | 12 |
| Length: | 210 mm |
| Width: | 210 mm |
| Height: | 160 mm |
| Weight (net): | 1.536 kg |
| Weight (brt): | 1.683 kg |
| Volume: | 7.056 |

Pallet package

| | |
|---------------|------------|
| Unit: | PCS |
| Size: | 900 |
| Length: | 1200 mm |
| Width: | 800 mm |
| Height: | 950 mm |
| Weight (net): | 115.2 kg |
| Weight (brt): | 149.225 kg |
| Volume: | 912 |