

ENSTO

DPCP080809G

Cubo D enclosure

Code DPCP080809G
 GTIN 6418677150128
 ENumber
 Name Cubo D enclosure
 Size 80 x 82 x 86 mm, plain sides, grey cover, PC
 Description Ensto Cubo D is a series of small enclosures with plain sides. Special features include fastening pods inside the cover and slots for printed circuit boards in the base.
 Vendor Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws, mounting screws, cover plugs for cover screws

Dimensions

Weight: 0.16 kg
 Width: 80 mm
 Volume : 56.42 cm³
 Size: 80 x 82 x 86
 Height: 82 mm
 Depth: 86 mm
 Inner depth: 72.0 mm
 Outer base depth: 71 mm
 Outer cover height: 15 mm

Temperatures

Operating temperature: -40 ... +80 °C
 Short term temperature range: -40 ... +120 °C

Materials

Base:	Polycarbonate
Cover:	Polycarbonate
Cover screws:	Stainless steel
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey
--------	------

Mechanical

Impact strength:	IK 08
------------------	-------

Certificates

Standards:	EN 62208, GOST R
------------	------------------

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM 7:	EC000261 Enclosure/switchgear cabinet (empty)

ETIM

ETIM

Pitched roof:	false
RAL-number:	7035
Material:	Plastic
Surface finishing:	Untreated
Colour:	Grey
Wall build in:	false
With ventilation door:	false
Floor installation possible:	false
Pole fastening:	false
With mounting plate:	false
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	86 mm
Tackable:	false
Width:	80 mm
With glazed door:	false
Height:	82 mm
Suitable for outdoor set-up:	true
With backside door:	false
Mounting plate depth-adjustable:	false
EMC-version:	false
Wall fastening possible:	true

Packaging

Default package

Unit:	PCS
Size:	12
Length:	375 mm
Width:	250 mm
Height:	115 mm
Weight (net):	1.956 kg
Weight (brt):	2.179 kg
Volume:	10.78125

Pallet package

Unit:	PCS
Size:	756
Length:	1200 mm
Width:	800 mm
Height:	960 mm
Weight (net):	123.228 kg
Weight (brt):	154.985 kg
Volume:	921.6