

ENSTO

SPCP131313G

Cubo S enclosure

Code SPCP131313G
 GTIN 6418677155321
 ENumber
 Name Cubo S enclosure
 Size 125 x 125 x 125 mm, 50 mm base,
 plain sides, grey cover, PC
 Description Ensto Cubo S is a series of small to
 medium size enclosures available with
 knockouts or plain sides. The base of the
 enclosures is equipped with unique slots
 for printed circuit boards.
 Vendor Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws,
 mounting screws

Dimensions

Weight: 0.40 kg
 Width: 125 mm
 Volume : 195.31 cm³
 Size: 125 x 125 x 125
 Height: 125 mm
 Depth: 125 mm
 Inner depth: 110.5 mm
 Outer base depth: 50 mm
 Outer cover height: 75 mm

Temperatures

Operating temperature: -40 ... +80 °C
 Short term temperature range: -40 ... +120 °C

Materials

Base:	Fiberglass reinforced polycarbonate
Cover:	Polycarbonate
Cover screws:	Polyamide
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey
--------	------

Mechanical

Impact strength:	IK 08
------------------	-------

Certificates

Standards:	EN 62208, GOST R
------------	------------------

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM 7:	EC000261 Enclosure/switchgear cabinet (empty)

ETIM

ETIM

Height:	125 mm
Wall fastening possible:	true
Surface finishing:	Untreated
Colour:	Grey
With mounting plate:	false
With glazed door:	false
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	125 mm
Width:	125 mm
Material:	Plastic
RAL-number:	7035
Suitable for outdoor set-up:	true

Packaging

Default package

Unit:	PCS
Size:	18
Length:	470 mm
Width:	390 mm
Height:	295 mm
Weight (net):	7.164 kg

Weight (brt):	7.775 kg
Volume:	54.0735