

# ENSTO

Enclosure PC

SPCP131305LT

---

Code	SPCP131305LT
GTIN	6438100101725
Name	Enclosure PC Ensto Cubo S Size 125 x 125 x 50 mm, 25 mm base, plain sides, transparent cover, PC
Description	Ensto Cubo S is a series of small to medium size enclosures available with knockouts or plain sides. The base of the enclosures is equipped with unique slots for printed circuit boards.
Vendor	Ensto Building Systems Finland Oy



## Technical specification

---

### Certificates

Standards: GOST R,EN 62208

### Colors

Color: Grey

### Dimensions

Volume :	781.25 cm <sup>3</sup>
Inner depth:	35.5 mm
Length:	50 mm
Outer base depth:	25 mm
Width:	125 mm
Height:	125 mm
Outer cover height:	25 mm
Size:	125 x 125 x 50 mm
Weight:	0.215 kg

### Material

Base:	Fiberglass reinforced polycarbonate
Cover:	Polycarbonate

Cover screws:	Polyamide
Gasket:	Polyurethane
Material:	Polycarbonate

## Mechanical

Impact strength:	IK 08
------------------	-------

## Others

Content:	Enclosure base, cover, cover screws, mounting screws
ETIM Class:	EC000261

## Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test

## Temperatures

Operating temperature:	-40 ... 80 °C
Short term temperature range:	-40 ... 120 °C

## Electrical values

Rated insulation voltage AC:	1000 V
Rated insulation voltage DC:	1500 V

## ETIM Technical specification

---

### etim

Height:	125 mm
Depth:	50 mm
Material:	Plastic
Material quality:	Other
Surface finishing:	Untreated
Colour:	Grey
RAL-number:	7035
With mounting plate:	No
Suitable for outdoor set-up:	Yes
With glazed door:	Yes
Impact strength:	IK08
Degree of protection (IP):	IP67,EV006423

## Packaging

---

### Default package

Unit:	PCE
Package size:	12
Depth:	403 mm
Width:	298 mm

Height:	246 mm
Weight:	2.913 kg
Volume:	29.543124 l