

ENSTO

Enclosure PC

SPCP131810LT

Code	SPCP131810LT
GTIN	6438100102104
Name	Enclosure PC Ensto Cubo S Size 125 x 175 x 100 mm, 25 mm base, plain sides, transparent cover, PC
Description	Ensto Cubo S is a series of small to medium size enclosures available with knockouts or plain sides. The base of the enclosures is equipped with unique slots for printed circuit boards.
Vendor	Ensto Building Systems Finland Oy



Technical specification

Certificates

Standards:	GOST R,EN 62208
------------	-----------------

Colors

Color:	Grey
--------	------

Dimensions

Volume :	2187.5 cm ³
Inner depth:	85.5 mm
Length:	100 mm
Outer base depth:	25 mm
Width:	125 mm
Height:	175 mm
Outer cover height:	75 mm
Size:	125 x 175 x 100 mm
Weight:	0.402 kg

Material

Base:	Fiberglass reinforced polycarbonate
Cover:	Polycarbonate

Cover screws:	Polyamide
Gasket:	Polyurethane
Material:	Polycarbonate

Mechanical

Impact strength:	IK 08
------------------	-------

Others

Content:	Enclosure base, cover, cover screws, mounting screws
ETIM Class:	EC000261

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test

Temperatures

Operating temperature:	-40 ... 80 °C
Short term temperature range:	-40 ... 120 °C

Electrical values

Rated insulation voltage AC:	1000 V
Rated insulation voltage DC:	1500 V

ETIM Technical specification

etim

Height:	175 mm
Depth:	100 mm
Material:	Plastic
Material quality:	Other
Surface finishing:	Untreated
Colour:	Grey
RAL-number:	7035
With mounting plate:	No
Suitable for outdoor set-up:	Yes
With glazed door:	Yes
Impact strength:	IK08
Degree of protection (IP):	IP67,EV006423

Packaging

Pallet package

Unit:	pcs
Package size:	228
Depth:	1200 mm
Width:	800 mm

Height: 1083 mm

Default package

Unit: pcs

Package size: 19

Depth: 478 mm

Width: 398 mm

Height: 311 mm

Weight: 8.183 kg

Volume: 59.165884 l