

# ENSTO

Enclosure PC

SPCP131813LT

---

Code	SPCP131813LT
GTIN	6438100102142
Name	Enclosure PC Ensto Cubo S Size 125 x 175 x 125 mm, 25 mm base, plain sides, transparent cover, PC
Description	Ensto Cubo S is a series of small to medium size enclosures available with knockouts or plain sides. The base of the enclosures is equipped with unique slots for printed circuit boards.
Vendor	Ensto Building Systems Finland Oy



## Technical specification

---

### Certificates

Standards:	EN 62208,GOST R
------------	-----------------

### Colors

Color:	Grey
--------	------

### Dimensions

Volume :	2734.375 cm <sup>3</sup>
Inner depth:	110.5 mm
Length:	125 mm
Outer base depth:	25 mm
Width:	125 mm
Height:	175 mm
Outer cover height:	100 mm
Size:	125 x 175 x 125 mm
Weight:	0.456 kg

### Material

Base:	Fiberglass reinforced polycarbonate
Cover:	Polycarbonate

Cover screws:	Polyamide
Gasket:	Polyurethane
Material:	Polycarbonate

## Mechanical

Impact strength:	IK 08
------------------	-------

## Others

Content:	Enclosure base, cover, cover screws, mounting screws
ETIM Class:	EC000261

## Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test

## Temperatures

Operating temperature:	-40 ... 80 °C
Short term temperature range:	-40 ... 120 °C

## Electrical values

Rated insulation voltage AC:	1000 V
Rated insulation voltage DC:	1500 V

## ETIM Technical specification

---

### etim

Height:	175 mm
Depth:	125 mm
Material:	Plastic
Material quality:	Other
Surface finishing:	Untreated
Colour:	Grey
RAL-number:	7035
With mounting plate:	No
Suitable for outdoor set-up:	Yes
With glazed door:	Yes
Impact strength:	IK08
Degree of protection (IP):	IP67,EV006423

## Packaging

---

### Pallet package

Unit:	pcs
Package size:	168
Depth:	1200 mm
Width:	800 mm

Height: 1083 mm

### Default package

Unit: pcs

Package size: 14

Depth: 478 mm

Width: 398 mm

Height: 311 mm

Weight: 6.929 kg

Volume: 59.165884 l