

ENSTO

DPCP233011G

Cubo D enclosure

Code DPCP233011G
 GTIN 6418677150760
 ENumber
 Name Cubo D enclosure
 Size 230 x 300 x 111 mm, plain sides, grey cover, PC
 Description Ensto Cubo D is a series of small enclosures with plain sides. Special features include fastening pods inside the cover and slots for printed circuit boards in the base.
 Vendor Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws, mounting screws, cover plugs for cover screws

Dimensions

Weight: 1.11 kg
Width: 230 mm
Volume : 765.90 cm³
Size: 230 x 300 x 111
Height: 300 mm
Depth: 111 mm
Inner depth: 97.5 mm
Outer base depth: 56 mm
Outer cover height: 55 mm

Temperatures

Operating temperature: -40 ... +80 °C
Short term temperature range: -40 ... +120 °C

Materials

Base:	Polycarbonate
Cover:	Polycarbonate
Cover screws:	Stainless steel
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey
--------	------

Mechanical

Impact strength:	IK 08
------------------	-------

Certificates

Standards:	EN 62208, GOST R
------------	------------------

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM 7:	EC000261 Enclosure/switchgear cabinet (empty)

ETIM

ETIM

Pitched roof:	false
RAL-number:	7035
Material:	Plastic
Surface finishing:	Untreated
Colour:	Grey
Wall build in:	false
With ventilation door:	false
Floor installation possible:	false
Pole fastening:	false
With mounting plate:	false
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	111 mm
Tackable:	false
Width:	230 mm
With glazed door:	false
Height:	300 mm
Suitable for outdoor set-up:	true
With backside door:	false
Mounting plate depth-adjustable:	false
EMC-version:	false
Wall fastening possible:	true

Packaging

Default package

Unit:	PCS
Size:	7
Length:	610 mm
Width:	440 mm
Height:	330 mm
Weight (net):	7.749 kg
Weight (brt):	8.599 kg
Volume:	88.572

Pallet package

Unit:	PCS
Size:	63
Length:	1200 mm
Width:	800 mm
Height:	1090 mm
Weight (net):	69.741 kg
Weight (brt):	100.391 kg
Volume:	1046.4