

ENSTO

SPCP182515T

Cubo S enclosure

Code SPCP182515T
 GTIN 6418677155994
 ENumber
 Name Cubo S enclosure
 Size 175 x 250 x 150 mm, 50 mm base,
 plain sides, transparent cover, PC
 Description Ensto Cubo S is a series of small to
 medium size enclosures available with
 knockouts or plain sides. The base of the
 enclosures is equipped with unique slots
 for printed circuit boards.
 Vendor Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws,
 mounting screws

Dimensions

Weight: 0.90 kg
 Width: 175 mm
 Volume : 656.25 cm³
 Size: 175 x 250 x 150
 Height: 250 mm
 Depth: 150 mm
 Inner depth: 135.5 mm
 Outer base depth: 50 mm
 Outer cover height: 100 mm

Temperatures

Operating temperature: -40 ... +80 °C
 Short term temperature range: -40 ... +120 °C

Materials

Base:	Fiberglass reinforced polycarbonate
Cover:	Polycarbonate
Cover screws:	Polyamide
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey
--------	------

Mechanical

Impact strength:	IK 08
------------------	-------

Certificates

Standards:	EN 62208, GOST R
------------	------------------

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM 7:	EC000261 Enclosure/switchgear cabinet (empty)

ETIM

ETIM

Height:	250 mm
Wall fastening possible:	true
Surface finishing:	Untreated
Colour:	Grey
With mounting plate:	false
With glazed door:	true
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	150 mm
Width:	175 mm
Material:	Plastic
RAL-number:	7035
Suitable for outdoor set-up:	true

Packaging

Default package

Unit:	PCS
Size:	6
Length:	470 mm
Width:	390 mm
Height:	295 mm
Weight (net):	5.394 kg

Weight (brt):	6.005 kg
Volume:	54.0735