

ENSTO

SPCP081304LG

Cubo S enclosure

Code SPCP081304LG
GTIN 6438100101299
ENumber
Name Cubo S enclosure
Size 75 x 125 x 35 mm, 25 mm base, plain sides, grey cover, PC
Description Ensto Cubo S is a series of small to medium size enclosures available with knockouts or plain sides. The base of the enclosures is equipped with unique slots for printed circuit boards.
Vendor Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws, mounting screws

Dimensions

Weight: 0.12 kg
Width: 75 mm
Size: 75 x 125 x 35
Height: 125 mm
Depth: 35 mm
Inner depth: 20.5 mm
Outer base depth: 25 mm
Outer cover height: 10 mm

Temperatures

Operating temperature: -40 ... +80 °C
Short term temperature range: -40 ... +120 °C

Materials

Base: Fiberglass reinforced polycarbonate

Cover:	Polycarbonate
Cover screws:	Polyamide
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey
--------	------

Mechanical

Impact strength:	IK 08
------------------	-------

Certificates

Standards:	EN 62208, GOST R
------------	------------------

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM 7:	EC000261 Enclosure/switchgear cabinet (empty)

ETIM

ETIM

Height:	125 mm
Wall fastening possible:	true
Surface finishing:	Untreated
Colour:	Grey
With mounting plate:	false
With glazed door:	false
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	35 mm
Width:	75 mm
Material:	Plastic
RAL-number:	7035
Suitable for outdoor set-up:	true

Packaging

Default package

Unit:	PCS
Size:	12
Length:	210 mm
Width:	210 mm
Height:	160 mm
Weight (net):	1.44 kg
Weight (brt):	1.587 kg

Volume:

7.056