

ENSTO

SPCP101006G

Cubo S enclosure

Code SPCP101006G
 GTIN 6438100101619
 ENumber
 Name Cubo S enclosure
 Size 100 x 100 x 60 mm, 50 mm base,
 plain sides, grey cover, PC
 Description Ensto Cubo S is a series of small to
 medium size enclosures available with
 knockouts or plain sides. The base of the
 enclosures is equipped with unique slots
 for printed circuit boards.
 Vendor Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws,
 mounting screws

Dimensions

Weight: 0.17 kg
 Width: 100 mm
 Size: 100 x 100 x 60
 Height: 100 mm
 Depth: 60 mm
 Inner depth: 45.5 mm
 Outer base depth: 50 mm
 Outer cover height: 10 mm

Temperatures

Operating temperature: -40 ... +80 °C
 Short term temperature range: -40 ... +120 °C

Materials

Base: Fiberglass reinforced polycarbonate

Cover:	Polycarbonate
Cover screws:	Polyamide
Gasket:	Polyurethane
Material selection:	Polycarbonate

Colors

Color:	Grey
--------	------

Mechanical

Impact strength:	IK 08
------------------	-------

Certificates

Standards:	EN 62208, GOST R
------------	------------------

Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM 7:	EC000261 Enclosure/switchgear cabinet (empty)

ETIM

ETIM

Height:	100 mm
Wall fastening possible:	true
Surface finishing:	Untreated
Colour:	Grey
With mounting plate:	false
With glazed door:	false
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	60 mm
Width:	100 mm
Material:	Plastic
RAL-number:	7035
Suitable for outdoor set-up:	true

Packaging

Default package

Unit:	PCS
Size:	12
Length:	395 mm
Width:	290 mm
Height:	230 mm
Weight (net):	1.98 kg
Weight (brt):	2.352 kg

Volume:

26.3465