

# ENSTO

SPCP101006T

Cubo S enclosure

Code SPCP101006T  
 GTIN 6438100101626  
 ENumber  
 Name Cubo S enclosure  
 Size 100 x 100 x 60 mm, 50 mm base,  
 plain sides, transparent cover, PC  
 Description Ensto Cubo S is a series of small to  
 medium size enclosures available with  
 knockouts or plain sides. The base of the  
 enclosures is equipped with unique slots  
 for printed circuit boards.  
 Vendor Ensto Finland Oy



## Technical specification

### Technical specification

Content: Enclosure base, cover, cover screws,  
 mounting screws

### Dimensions

Weight: 0.17 kg  
 Width: 100 mm  
 Size: 100 x 100 x 60  
 Height: 100 mm  
 Depth: 60 mm  
 Inner depth: 45.5 mm  
 Outer base depth: 50 mm  
 Outer cover height: 10 mm

### Temperatures

Operating temperature: -40 ... +80 °C  
 Short term temperature range: -40 ... +120 °C

### Materials

Base: Fiberglass reinforced polycarbonate

Cover:	Polycarbonate
Cover screws:	Polyamide
Gasket:	Polyurethane
Material selection:	Polycarbonate

## Colors

Color:	Grey
--------	------

## Mechanical

Impact strength:	IK 08
------------------	-------

## Certificates

Standards:	EN 62208, GOST R
------------	------------------

## Ratings

Degree of protection:	IP66/IP67
Flammability rating:	UL 746C 5 inch flame test
ETIM 7:	EC000261 Enclosure/switchgear cabinet (empty)

## ETIM

### ETIM

Height:	100 mm
Wall fastening possible:	true
Surface finishing:	Untreated
Colour:	Grey
With mounting plate:	false
With glazed door:	true
Impact strength:	IK08
Degree of protection (IP):	IP67
Depth:	60 mm
Width:	100 mm
Material:	Plastic
RAL-number:	7035
Suitable for outdoor set-up:	true

## Packaging

### Default package

Unit:	PCS
Size:	12
Length:	395 mm
Width:	290 mm
Height:	230 mm
Weight (net):	1.98 kg
Weight (brt):	2.352 kg

**Volume:**

26.3465