

ENSTO

DPCP121206T

Cubo D enclosure

Code DPCP121206T
 GTIN 6418677150333
 ENumber
 Name Cubo D enclosure
 Size 120 x 122 x 56 mm, plain sides,
 transparent cover, PC
 Description Ensto Cubo D is a series of small
 enclosures with plain sides. Special
 features include fastening pods inside the
 cover and slots for printed circuit boards
 in the base.
 Vendor Ensto Finland Oy



Technical specification

Technical specification

Content: Enclosure base, cover, cover screws,
 mounting screws, cover plugs for cover
 screws

Dimensions

Weight: 0.22 kg
 Width: 120 mm
 Volume : 81.98 cm³
 Size: 120 x 122 x 56
 Height: 122 mm
 Depth: 56 mm
 Inner depth: 42.0 mm
 Outer base depth: 41 mm
 Outer cover height: 15 mm

Temperatures

Operating temperature: -40 ... +80 °C
 Short term temperature range: -40 ... +120 °C

Materials

| | |
|---------------------|-----------------|
| Base: | Polycarbonate |
| Cover: | Polycarbonate |
| Cover screws: | Stainless steel |
| Gasket: | Polyurethane |
| Material selection: | Polycarbonate |

Colors

| | |
|--------|------|
| Color: | Grey |
|--------|------|

Mechanical

| | |
|------------------|-------|
| Impact strength: | IK 08 |
|------------------|-------|

Certificates

| | |
|------------|------------------|
| Standards: | EN 62208, GOST R |
|------------|------------------|

Ratings

| | |
|-----------------------|---|
| Degree of protection: | IP66/IP67 |
| Flammability rating: | UL 746C 5 inch flame test |
| ETIM 7: | EC000261 Enclosure/switchgear cabinet (empty) |

ETIM

ETIM

| | |
|----------------------------------|-----------|
| Pitched roof: | false |
| RAL-number: | 7035 |
| Material: | Plastic |
| Surface finishing: | Untreated |
| Colour: | Grey |
| Wall build in: | false |
| With ventilation door: | false |
| Floor installation possible: | false |
| Pole fastening: | false |
| With mounting plate: | false |
| Impact strength: | IK08 |
| Degree of protection (IP): | IP67 |
| Depth: | 56 mm |
| Tackable: | false |
| Width: | 120 mm |
| With glazed door: | false |
| Height: | 122 mm |
| Suitable for outdoor set-up: | true |
| With backside door: | false |
| Mounting plate depth-adjustable: | false |
| EMC-version: | false |
| Wall fastening possible: | true |

Packaging

Default package

| | |
|---------------|----------|
| Unit: | PCS |
| Size: | 12 |
| Length: | 375 mm |
| Width: | 250 mm |
| Height: | 115 mm |
| Weight (net): | 2.628 kg |
| Weight (brt): | 2.851 kg |
| Volume: | 10.78125 |

Pallet package

| | |
|---------------|------------|
| Unit: | PCS |
| Size: | 756 |
| Length: | 1200 mm |
| Width: | 800 mm |
| Height: | 960 mm |
| Weight (net): | 165.564 kg |
| Weight (brt): | 202.613 kg |
| Volume: | 921.6 |